HEAT SEALED POWDER COAT STEEL 10 SCOPE CAPACITY CABINET, KEY LOCK

Scopes not included

SC8030DRDP-DSS2310

Also available in a Stainless Steel Finish



- · Positive pressure fully redundant fan system
- Unit features two intake fans and one exhaust fan

Dri-Scope Aid

- Fan run time is fully adjustable and activated each time cabinet is closed
- HEPA filter removes 99.7% of particulates, .03 Microns
- Holds 10 scopes with secure adjustable mounting system
- Replaceable HEPA Filter system without removal of scopes
- Medical grade electrical system
- · Tempered glass double doors
- Multiple locking options available including badge entry
- · Easy to clean removable drip tray
- · Cabinets are delivered fully assembled
- Harloff has Industry Best 12 year limited manufacturers warranty for Sales to US and Canada

COLORS

Available in more than twenty color options.

View them online: https://www.harloff.com/finish-options/

Includes Dri-Scope Aid®, industry leading internal lumen drying system

Please refer to Dri-Scope Aid® specification sheet for more information



Engineered & Manufactured in the U.S.



View similar products online at https://www.harloff.com/suredry-scope-cabinets/

Toll Free: (800) 433-4064 • medicalsales@harloff.com www.harloff.com • Ph: (719) 637-0300



The ultimate in Endoscope drying systems is now available! SureDry Scope Cabinets feature an external HEPA filtered positive pressure drying system. Dri-Scope Aid® is the industry leading internal lumen drying system. This combination provides facilities with the assurance that they will be able to meet all current and anticipated future guidelines for external and internal drying of endoscopes, providing their patients the best possible assurance of infection prevention.

DRI-SCOPE INTERNAL LUMEN DRYING SYSTEM



- Constant Flow
- Consistent Pressure

The Dri-Scope Aid® Cabinet supplies HEPA-filtered air to all internal channels

Repeatable Results

FEATURES & BENEFITS

- Significantly improves drying of internal channels
- HEPA filter offers a 99.97% retention rate of particles that have a size > 0.3µm
- Provides constant air delivery through all internal endoscope channels
- · Short drying cycle for quick turn-around time
- Continuous venting cycle for overnight storage
- Automatic high-pressure shutoff
- · Fulfills forced air recommendations
- · Self-adjusting high-pressure regulation

EASE OF OPERATION

- Hands-free operation with visual display of purging times
- Simple to attach individual scope connectors
- · Works with all major endoscope brands
- Disposable connectors to meet SGNA and AORN guidelines
- Dries 1 to 10 endoscopes

OVERALL CABINET DIMENSIONS


• 93" H x 30" W x 24" D



INNOVATING STORAGE FOR CARE







Toll Free: (800) 433-4064 • medicalsales@harloff.com www.harloff.com • Ph: (719) 637-0300





Why is a positive pressure system important?

The unique design of the SureDry Scope Cabinet includes both top fans for intake and lower fans for exhaust. This push/pull design creates a vortex of air that flows through the cabinet ensuring maximum drying efficiency.

Intake:

Intake Airflow comes through 3 Separate HEPA filters (removes 99.7% of particulates, .03 Microns) driven by 3 fully redundant fans producing a positive pressure vortex from the top of the cabinet. This creates a circular motion of airflow evenly over all scopes.

Exhaust:

The lower exhaust fans pull the circulated air out of the cabinet ensuring the flow of air is consistent from top to bottom, providing a complete drying system for the entire scope. This push pull multiple fan system, an industry first, ensures not only a positive pressure system to meet all major guidelines but also ensures forced drying and equal levels across each and every scope across it's full length.



A Smart Choice to Meet & Exceed Current AORN, SGNA and AAMI Guidelines											
Scope Storage Guidelines	Forced Air Drying	HEPA Filtered Air	Hang Scopes Vertically	Scopes Must Hang Freely, No Touching or Coiling	Easy to Clean and Disinfect	Closed Door Cabinet	Positive Air Pressure	Circulated Air Environment	Connectors — Use Disposables or Reuse- ables Stored w/Scopes	Dry Scopes Completely	Use Channel Drying*
AOR	N no data	\checkmark	\checkmark	✓	✓	\checkmark	✓	✓	\checkmark	no data	no data
SGN	A 🗸	✓	√	✓	√	no data	no data	no data	✓	\checkmark	no data
AAN	II 🗸	✓	✓	√	√	\checkmark	\checkmark	\checkmark	✓	√	\checkmark

Harloff Scope Cabinets Meet & Exceed These Guidelines (*Channel Drying Available Only with Dri-Scope Aid®)

10 Reasons to Choose **HARLOFF** for Your Scope Cabinets



Industry Best Positive Pressure HEPA Filtered Drying System. Designed to add Dri-Scope Aid® now or later with easy "Plug & Play installation.

A Smart Choice to Meet & Exceed Current SGNA. AORN and AAMI Guidelines

Proudly Made in the USA



Harloff products are proudly Designed, Engineered and Manufactured in the United States at our Colorado Springs, CO facility.



LED Lighting Option

Brighten your cabinet and more easily inspect scopes with fully dimmable optional overhead LED lighting which triggers on/off when you open and close the door.

Easy Access to HEPA Filters

Change HEPA filters without opening the cabinet. Save time and ensure no cycle interruptions.



Save time and ensure compliance! Use single-use connectors for all internal channels of the endoscope. Part of the Dri-Scope Aid® package.



Options include key locks, basic electronic push button locks, advanced keypads and proximity

readers. View locking options online at www.harloff.com/locking-options/



Scope Cabinet Finish Options

Choose Stainless Steel, Heat Sealed Powder Coat in High Gloss or Textured Low Gloss, or upgrade to an antimicrobial finish.



Fuji, Olympus, Pentax, Karl Storz and others.

12 Year Warranty

Our Manufacturer's Warranty is Unmatched in the industry. We build our cabinets to last and we stand behind them.



Superior Color Choices

Over 20 Colors to choose from. Cabinets have a heat sealed powder coat finish inside and out. View color options online at www.harloff.com/finish-options/

