HEAT SEALED POWDER COAT STEEL 6 SCOPE CAPACITY CABINET, KEY LOCK

Scopes not included

Optional dimmable LED

lighting also available!

SC9424DR-6

reDry

OPE CABINETS

Scope Cabinet Features:

- Designed for extra long scopes that won't fit in a traditional scope cabinet
- Meets or exceeds Joint commission, AORN, SGNA, and ANSI/AAMI ST91:2021 guidelines
- Positive pressure fully redundant fan system
- Industries only unit with two intake fans and one exhaust fan
- Fan run time is fully adjustable and activated each time cabinet is closed
- HEPA filter removes 99.7% of particulates, .03 Microns
- Industry first replaceable HEPA Filter system without removal of scopes
- Holds 6 scopes with secure adjustable mounting system
- Medical grade electrical system
- Tempered glass door
- · Easy to clean removable drip tray
- Dimensions: 105.5" H x 24" W x 24" D

Shown in a 6-scope version. Other capacities available.

Simple "Plug and Play" upgradeable with Dri-Scope Aid®, industry leading internal lumen drying system







The SureDry Scope Cabinet includes the industry best Positive Pressure HEPA Filtered Drying system. Inside air is replaced inside the cabinet 4 times per minute.

View similar products online at https://www.harloff.com/suredry-scope-cabinets/

Toll Free: (800) 433-4064 • medicalsales@harloff.com www.harloff.com • Ph: (719) 637-0300

Why is a positive pressure system important?

The unique design of the SureDry Scope Cabinet includes both top fans for intake and lower fans for exhaust. This push/pull design creates a vortex of air that flows through the cabinet ensuring maximum drying efficiency.

Intake: Intake airflow comes through separate HEPA filters (which remove 99.7% of particulates, .03 Microns) driven by fully redundant fans producing a positive pressure vortex from the cabinet top. This creates an even circular motion of airflow over all scopes.

Exhaust: The lower exhaust fans pull the circulated air out of the cabinet ensuring the flow of air is consistent from top to bottom, providing a complete drying system for the entire scope. This push/pull multiple fan system (an industry first) ensures a positive pressure system to meet all major guidelines and it ensures forced drying and equal drying levels across the full length of each and every scope.



ST91:2021

SureDry Cabinets are a Smart Choice to Meet and Exceed ANSI/AAMI ST91:2021 and Other Guidelines The references below are taken from these guidelines. Channel drying available only with the addition of the Dri-Scope Aid® system.

\checkmark	Scopes Stored Vertically	11.2.1 "stored vertically, the insertion tube should be as straight as possible, with the distal tip hanging freely."11.2.1 "When flexible and semi-rigid endoscopes are hung in the vertical position, coiling or kinking is prevented."
\checkmark	Hanging Freely Without Coiling	11.2.2 "should be stored in a cabinet that is of sufficient height, width, and depth to allow flexible endoscopes to hang vertically without coiling and without any components touching the bottom of the cabinet."
V	Channel Drying + Forced Air	8.2.5.1 "Flexible endoscopes with channels should be dried for a minimum of 10-minutes with pressure-regulated forced instrument air or a minimum of HEPA-filtered air." 8.2.5.2 Use pressure-regulated instrument air or HEPA-filtered air to dry the channels in accordance with the manufacturer's written IFU.
\checkmark	HEPA Filtered Positive Pressure	11.2.2.2 Cabinets that enable circulation of HEPA-filtered or instrument air through the cabinet at positive pressure. NOTE: SureDry cabinets feature an industry leading 3 intake and 2 exhaust fan system.
\checkmark	Easy Scope Identification*	11.2.3 "Protocols should be developed to help ensure that users can readily identify an endoscope that has been processed and is ready for patient use." * <i>Available with Tracker-equipped SureDry scope cabinets</i>
\checkmark	Single-Use Connectors	Use of single use connectors ensures no cross-contamination as well as simplifies staff efficiency.
V	Clinical Documentation	ASGE "Drying the interior of an endoscope should use a sufficiently prolonged flow of medical air through all accessible channels, ideally simultaneously and for at least 10 minutes, for greatest efficiency." <i>Per the study, "Multisociety guideline on reprocessing flexible GI endoscopes: 2016 update."</i> NOTE: SureDry cabinets are the only clinically proven vertical drying cabinet.

10 Reasons to Choose **HARLOFF** for Your Scope Cabinets





Industry Best Positive Pressure HEPA Filtered Drying System. Designed to add Dri-Scope Aid[®] now or later with easy "Plug & Play installation.

Dri-Scope Aid®

Fully Retrofittable in Field

All SureDry scope cabinets are fully designed to be field installed with the industry best Dri-Scope Aid[®] lumen drying system, which provides HEPA filtered air to each internal scope channel.



LED Lighting Option


Brighten your cabinet and easily inspect scopes with fully dimmable optional overhead LED lighting which triggers on door open/close.

Hooks and Holders for Specialized Scopes

Major brands to include *Fuji, Olympus, Pentax, Karl Storz and others.*

12 Year Warranty

Our Manufacturer's Warranty is Unmatched in the industry. We build our cabinets to last and we stand behind them.



A Smart Choice to Meet & Exceed Current SGNA, AORN and AAMI Guidelines

Proudly Made in the USA



Harloff products are proudly Designed, Engineered and Manufactured in the United States at our Colorado Springs, CO facility.

Easy Access to HEPA Filters

Change HEPA filters *without opening the cabinet.* Save time and ensure no cycle interruptions.



Keyed or Keyless Locks

Options include key locks, basic electronic push button locks, advanced keypads and proximity

readers. View locking options online at <u>www.harloff.com/locking-options/</u>

Scope Cabinet Finish Options

Choose Stainless Steel, Heat Sealed Powder Coat in High Gloss or Textured Low Gloss, or upgrade to an *antimicrobial finish*.

Superior Color Choices

Over 20 Colors to choose from. Cabinets have a heat sealed powder coat finish inside and out. View color options online at <u>www.harloff.com/finish-options/</u>

Toll Free: (800) 433-4064 • medicalsales@harloff.com • www.harloff.com • Ph: (719) 637-0300