

SMALL AND LARGE SCOPE DRYING **SOLUTIONS FOR YOUR FACILITY!**

Harloff's versatile cabinets can be used for the storage or drying of your facility's EGD scopes, colonocopes, EUS scopes, ERCP scope, TEE probes, bronchoscopes, cystoscopes and ENT scopes.

ENDOSCOPY **CABINETS**

Harloff offers a full line of GI scope drying and storage products. Our flagship SureDry scope cabinet provides storage and drying for endoscopes with optional channel drying available with the purchase of Dri-Scope Aid®, the industry leading internal lumen drying system.

Our in-house design and manufacturing team allows us to build multiple solutions for your endoscopy facility including pass through scope cabinets, mobile cabinets and customizations such as additional heights, slimmer widths, door variants and much more.







ENDOSCOPE DRYING

DUR FAMILY OF SCOPE DRYING CABINETSCAN FULFILL THE REQUIREMENTS OF ANY FACILITY!

30" WIDTH

10 scope, 5 scope or custom setup



This slim profile scope cabinet is ideal for facilities with fewer scopes or limited available floor space. For configurations that use Dri-Scope Aid®, this cabinet uses the smaller 5-scope manifolds.

36" WIDTH

14, 12 or 8 scope or custom setup



Our standard scope cabinet size is able to accommodate multiple capacities and multiple configurations of different scope types. For customers who purchase the internal lumen drying package, it fits the standard 8-scope Dri-Scope Aid® manifold.

CHOICE OF 3 WIDTHS

Harloff scope cabinets come in three widths; choose the size you want based upon the volume of scopes you plan to use, your available square footage and how much interior cabinet space you want for scopes.

44" WIDTH

16 scope, 8 scope or custom setup

Need it
larger? We
build 60" wide
cabinets
too!



Perfect for busy units
with high traffic and frequent scope
changeouts, this high volume cabinet has
a wider profile and increased spacing
between scope holders for easy access.
This is the industry's most spacious
scope cabinet, allowing for easy hanging
and retrieval of all scope types.

SC80WTDRDP-10-DSS2305

All the features of the standard pass through scope cabinet but also comes equipped with Dri-Scope Aid®, the industry best lumen drying system. An optional customizable hang time monitor is also available.



ENDOSCOPE DRYING

PASS THROUGH CABINET SC80WTDRDP-10



This double sided pass through cabinet allows access between both procedure and reprocessing rooms. This in-wall system has multiple available locking options and can hold up to 10 scopes with our secure adjustable mounting system. Each cabinet comes with 4 intake and 2 exhaust fans and tempered glass doors, one on each side. Other features include easy to clean removable dual drip trays, a HEPA Filter system that can be replaced without the removal of scopes and SureDry's positive pressure fully redundant fan system.



• Significantly improves drying of internal channels

- HEPA filter offers a 99.97% retention rate of particles that have a size> 0.3µm
- Provides constant air delivery through all internal endoscope channels
- Short drying cycle for quick turn-around time
- Continuous venting cycle for overnight storage
- Automatic high-pressure shutoff
- · Fulfills forced air recommendations
- Self-adjusting high-pressure regulation

FEATURES & BENEFITS OF DRI-SCOPE AID®

EASE OF OPERATION

- Hands-free operation with visual display of purging times
- Simple to attach individual scope connectors
- Works with all major endoscope brands
- Disposable connectors to meet SGNA and AORN guidelines
- Dries 1 to 16 endoscopes







SMART SCOPE TRACKING CABINET

This next generation "Tracker" scope tracking system from Dri-Scope Aid® adds yet another component to your SureDry scope cabinet, the ability to monitor the drying process and to display staff check-ins/check-outs

and other scope functions using a built in touch tablet configured to your scope inventory and ready to run immediately on cabinet delivery. This flexible endoscope tracking system

helps to meet or exceed AORN, SGNA and AAMI guidelines (including ANSI/AAMI ST91:2021







- Customizable settings and drying options unique to each endoscope
- Intelligent automated scheduler
- Maintains records of scope drying events, user access, check-ins and check-outs
- · Screen access by authorized personnel is completed by passcode
- Adjustable timing options

STAINLESS

- · At a glance, display shows scope inventory and reprocessing status
- Downloadable export files available for endoscope management, user lists and more
- Customizable Hang Time Monitor

SC8030TD-T2310D



WHY IS A **POSITIVE PRESSURE** SYSTEM IMPORTANT?



The unique design of the SureDry Scope Cabinet includes both top fans for intake and lower fans for exhaust. This push/pull design creates a vortex of air that flows through the cabinet ensuring maximum drying efficiency.

INTAKE

Intake Airflow comes through separate HEPA filters (which remove 99.7% of particulates, .03 Microns) driven by fully redundant fans producing a positive pressure vortex from the top of the cabinet. This creates an even circular motion of airflow over all scopes.

EXHAUST

The lower exhaust fans pull the circulated air out of the cabinet ensuring the flow of air is consistent from top to bottom, which provides a complete drying system for the entire scope. This push/pull multiple fan system - an industry first - ensures not only a positive pressure system to meet all major guidelines but also ensures forced drying and equal drying levels across the full length of each and every scope.

SureDry Cabinets: A Smart Choice

to Meet and Exceed Current AORN, SGNA and AAMI Guidelines



	V / V/V	\ \ \ \			11111						
Scope Storage Guidelines	Forced Air Drying	HEPA Filtered Air	Hang Scopes Vertically	Scopes Must Hang Freely, No Touching or Coiling	Easy to Clean and Disinfect	Closed Door Cabinet	Positive Air Pressure	Circulated Air Environment	Connectors — Use Disposables or Reuse- ables Stored w/Scopes	Dry Scopes Completely	Uses Channel Drying (with Dri-Scope Aid®)
AORN	no data	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	no data	no data
SGNA	\checkmark	√	✓	✓	✓	no data	no data	no data	✓	\checkmark	no data
AAMI	\checkmark	\checkmark	✓	✓	✓	\checkmark	\checkmark	\checkmark	✓	✓	\checkmark
ANSI/A	ANSI/AAMI ST91:2021			SureDry scope cabinets, with or without Dri-Scope Aid®, meet and exceed updated guidelines							



ENDOSCOPE DRYING

CUSTOM SCOPE CABINET OPTIONS

One of the many strengths of Harloff is our unparalleled ability to create custom solutions. Examples include extra tall cabinets like the SC9436DRDP which are for longer endoscopes, and feature an extended base. Our double wide SC8060DRDP-2DSS2310 provides an even higher endoscope capacity and our mobile kit allows any scope cabinet to become mobile rather than stationary. Mobile cabinets permit usage in multiple areas of your facility and also can be transported to





Any size of scope cabinet can be converted into a mobile version with the addition of this mobile kit. Includes four 3" casters plus a steel mounting plate. Available in stainless steel or heat sealed powder coat steel. Factory install only.



Ure Dry ENDOSCOPE DRYING SCOPE CABINETS with Dri-Scope Aid®

SC8044DRDP-DSS3316

All SureDry scope cabinets are fully designed to be purchased with Dri-Scope Aid®, the industry best lumen drying system, or field installed with easy "Plug & Play" installation to provide HEPA filtered air to each internal scope channel.







WHAT DO RECENT ANSI/AAMI ST91:2021 AND ASGE STUDIES REVEAL ABOUT THE **BENEFITS OF USING DRI-SCOPE AID**®

WHAT DO NEWLY RELEASED
GUIDELINES TELL US ABOUT
THE DRYING AND STORAGE OF
REPROCESSED ENDOSCOPES?

Both the U.S. Multi-Society Task Force and the American National Standards Institute (ANSI)/Association for the Advancement of Medical Instrumentation (AAMI) reference the Barakat 2019 study¹, in which the Dri-Scope Aid® system was used to successfully purge moisture from endoscope channels. The studies state, "Barakat et al. [78] demonstrated only a single water droplet in 69 endoscope cycles following ten minutes of 'automated' forced filtered air purge of all channels, compared to modest numbers of persistent droplets after five minutes and extensive fluid after manual targeting

of channels with a forced air gun." SureDry scope cabinets from Harloff, paired with the Dri-Scope Aid lumen drying system, provide optimal drying of both the exterior and interior of endoscopes for quick, efficient drying of all endoscope types.

1. Barakat MT, Huang RJ, Banerjee S. Comparison of automated and manual drying in the elimination of residual endoscope working channel fluid after reprocessing. GIE Journal. 89(1):124-132.e2, 2019



ENDOSCOPE DRYING

OPTIONAL DIMMABLE LED LIGHTING NOW AVAILABLE TO INSTALL IN ANY CABINET!

SC8036DRDP-14





SCSS8036DRDP-14

Our standard scope cabinet size can accommodate multiple capacities and configurations of scope types including bronchoscopes, cystoscopes and TEE probes. This cabinet can be set up with 16, 14, 12, 9 or 8 scope capacity configurations.

SCSS8044DREDP

With increased storage capacity and maximum manueverability for the attachment and removal of scopes, this 44" wide high volume 16-scope cabinet from Harloff is the ideal endoscope cabinet storage and drying solution for busy gastroenterology facilities.



This 30" wide slim profile scope cabinet can be set up in 10, 8 or 5 scope hanging configurations. Ideal for facilities with fewer scopes or with limited available floor space, this smaller footprint cabinet uses it's top two intake fans and one bottom exhaust fan to create the same positive pressure airflow drying as our larger cabinets. Comes installed with the Dri-Scope Aid® internal lumen drying system.





SC8044DRDP & SC8044DREDP



STAINLESS



ENT/BRONCHOSCOPE DRYING

SCW2430DRDP

- HEPA filtered Positive Pressure with two High Volume intake fans and one exhaust fan
- · Customizable scope holders to fit most common scope types
- Holds up to 6 ENT Scopes
- · Glass paneled doors for easy viewing of scope inventory
- · Adjustable timer (10 to 180 mins) for fan operation.
- Fans activated automatically upon closing of doors
- Industry best 12 year limited manufacturer's warranty
- · Ideal for non-connected or removable video/light processor cord

scopes to be dried in the same safe, efficient manner as scopes in other parts of the facility.

· Cabinet dimensions: 30"H x 24"W x 12"D



SCW2448DRDP

- HEPA filtered Positive Pressure with two High Volume intake fans and one exhaust fan
- Customizable scope holders to fit most common scope types
- Holds up to 4 bronchoscopes
- Glass paneled doors for easy viewing of scope inventory
- Adjustable timer (10 to 180 mins) for fan operation.
- Fans activated automatically upon closing of doors
- Industry best 12 year limited manufacturer warranty
- · Cabinet dimensions: 48"H x 24"W x 12.75"D





Vertically hang up to 24 dilators for channel

DILATOR DRYING CARTS

drying, exterior drying and storage. Short cabinets can hold dilators up to 28" long while tall cabinets can hold dilators up to 39" in length.

- Positive pressure fan system dries Bougie dilators, Savary-Gilliard® dilators & other wire guided dilators
- Includes 4 pull out slides that each hold six dilators for easy access to similar sized dilators at one time
- Replaceable HEPA Filter removes 99.7% of particulates, .03 Microns
- Fan run time (from 10-180 minutes) is fully adjustable and activated each time the cabinet door is closed
- Durable, scratch resistant heat sealed powder coat finish
- Each dilator storage cart can hold up to 24 individual dilators, varying in size from 5mm (15 French) to 20mm (60 French) and up to 28" in length
- Choice of lock options: keyless, latch lock, standard key lock or standard electronic lock





SCOPE DRYING STORAGE/TRANSPORT



Designed to securely store and safely transport scope trays. Carts can be color coded to signify clean, patient ready scopes versus soiled scopes that need reprocessing. Each cart securely holds most popular brands of scope trays.

- Sturdy, all aluminum construction
- Secure scope tray holding system with individual trays held in place by zero-slide tray retainers
- Holds multiple brands of scope transport trays
- Available space on the cart top for additional supplies or equipment
- 3" (7.6 cm) single wheel stem caster set, full swivel - two with brake
- · Durable scratch resistant hard baked powder coat finish
- · Lightweight and simple to clean
- · Cart is delivered fully assembled
- Latex free
- Scope trays not included

CUSTOMIZE YOUR CART WITH A VARIETY OF SCOPE TRANSIT SYSTEM OPTIONS!

Breakaway Lock Bar:


- · Secure your scope trays with a breakaway lock bar
- Comes with a pack of 100 breakaway seals
- Enhances identification of trays allowing you to more easily keep track of which scope trays are clean or soiled
- · Each breakaway seal has a unique identifying number for tracking which staff is responsible for tray reprocessing
- Helps prevent tampering by restricting tray access
- Comes in a heat sealed powder coat steel finish in over twenty color choices including an antimicrobial option



Change the appearance, expand the functionality and broaden the usefulness of your Harloff cart by purchasing optional built-in add-on products.

Color Coded Seals:

 Breakaway seals come in a default yellow, but can be purchased in several color options



Adds an additional identifying feature

Color Coded Cart Bodies:

- · Color code your cart body: green for clean, red for soiled or any other color options to match your procedures
- Color code to specific reprocessing areas
- Our durable heat sealed powder coat aluminum finish and open design is easy to clean and sterilize



ENT/BRONCHOSCOPE

Item #	Drying
SCW2430DR	No
SCW2430DRDP	Yes
SCSSW2430DR (stainless)	No
SCSSW2430DRDP (stainless)	Yes
SCW2448DR	No
SCW2448DRDP	Yes
SCSSW2448DR (stainless)	No
SCSSW2448DRDP (stainless)	Yes
SCW24-LEDSTERI LED Sterilization upgrade	

DILATOR DRYING CARTS

All models available in key lock, latch lock or electronic lock versions.

Item#	Dilator Height	Capacity
DSC24S (no drying)) 28"	24
DSC24S-DP	28"	24
DSC24T (no drying)) 39"	24
DSC24T-DP	39"	24
DSC36S (no drying)) 28"	36
DSC36S-DP	28"	36
DSC36T (no drying)) 39"	36
DSC36T-DP	39"	36

GI CARTS/CABINETS INVENTORY LIST

ENDOSCOPE DRYING CABINETS

All models available in key lock, latch lock, e-lock or even badge entry versions.

Item #	Capacity	Finish	Width	Channel Drying	
SC8044DRDP	16 scopes Powder Coat		44"	No	
SCSS8044DRDP	16 scopes	Stainless	44"	No	
SC8044DRDP-DSS3316	15 scopes	Powder Coat	44"	Yes	
SCSS8044DRDP-DSS3316	15 scopes	Stainless	44"	Yes	
SC8036DRDP	14 scopes	Powder Coat	36"	No	
SCSS8036DRDP	14 scopes	Stainless	36"	No	
SC8036DRDP-14-DSS3316	14 scopes	Powder Coat	36"	Yes	
SCSS8036DRDP-14-DSS3316	14 scopes	Stainless	36"	Yes	
SC8030DRDP	10 scopes	Powder Coat	30"	No	
SCSS8030DRDP	10 scopes	Stainless	30"	No	
SC8030DRDP-DSS2310	10 scopes	Powder Coat	30"	Yes	
SCSS8030DRDP-DSS2310	10 scopes	Stainless	30"	Yes	
SC80WTDRDP-10	10 scopes	Powder Coat	41"	No	
SC80WTDRDP-10-DSS2305	10 scopes	Powder Coat	41"	Yes	
SC8036TK-14 36" Wide Tambo	ur Door Cabinet	14 Scope Capacity	′		
SC8036TKDP-14 36" Wide Tan	nbour Door Dryir	ng Cabinet, 14 Capa	city		

White glove service is available upon request.

SCOPE TRANSPORT AND STORAGE CARTS

Available options: a breakaway lock kit or stainless steel casters suitable for going through a cart wash.

Item #	Capacity/Type
STC-AL6	6 trays
STC-AL8	8 trays
STC-AL10	10 trays

SafeCap scope trays and lids are also available for purchase.

SCOPE CABINET ACCESSORIES

Item #	Description
SC-LED-30	LED internal light w/ dimmer for 8030 models
SC-LED-36	LED internal light w/ dimmer for 8036 models
SC-LED-44	LED internal light w/ dimmer for 8044 models
SCFILTER1	Replacement HEPA Filter, 1-count
SCFILTER2	Replacement HEPA Filter, 2-pack
SCFILTER3	Replacement HEPA Filter, 3-pack

10 REASONS TO CHOOSE HARLOFF FOR SCOPE CABINETS

ure Dry scope cabinets

Industry Best Positive Pressure HEPA

Filtered Drying System. Designed to add Dri-Scope Aid® now or later with easy "Plug & Play installation.



A Smart Choice to Meet & Exceed Current Joint Commission. SGNA. AORN and AAMI Guidelines.



Harloff products are proudly

Designed, Engineered and


Manufactured in the United States
at our Colorado Springs, CO facility.



LED Lighting Option

and more easily inspect scopes with fully dimmable optional overhead LED lighting which triggers on/off when you open and close the door.

Easy Access to HEPA Filters





Keyed or Keyless Locks

Options include key locks, basic electronic push button locks, advanced keypads and proximity

readers. View locking options online at www.harloff.com/locking-options/



Save time and ensure
compliance! Use single-use
connectors for all internal
channels of the endoscope.
Part of the Dri-Scope Aid® package.



Hooks and Holders for Specialized Scopes

Major brands to include

Fuji, Olympus, Pentax, Karl Storz and others.

Scope Cabinet Finish Options

Choose Stainless Steel, Heat Sealed Powder Coat in High Gloss or Textured Low Gloss, or upgrade to an *antimicrobial finish*.



12 Year Warranty

Our Manufacturer's Warranty is Unmatched in the industry. We build our cabinets to last and we stand behind them.



Superior Color Choices

Over 20 Colors to choose from.

Cabinets have a heat sealed powder coat finish inside and out. View color options online at www.harloff.com/finish-options/



